

**Pennsylvania Early and Periodic Screening, Diagnosis and Treatment (EPSDT) Program
Periodicity Schedule and Coding Matrix
(Effective June 14, 2010)**

Services	Newborn (Inpatient)	By 1 Mo	2-3 Mo	4-5 Mo	6-8 Mo	9-11 Mo	12 Mo	15 Mo	18 Mo	24 Mo	30 Mo	3 y	4 y
Assessment: ¹	A completed screen requires a code from each service required for that age. Report only one CPT code if multiple CPT codes are listed per service, except for immunizations.												
New Patient	99460 ⁹ / 99463 ¹⁰	99381	99381	99381	99381	99381	99382	99382	99382	99382	99382	99382	99382
Established Patient		99391	99391	99391	99391	99391	99392	99392	99392	99392	99392	99392	99392
<ul style="list-style-type: none"> Newborn Metabolic Hemoglobin Screening ² 	←-----●-----→												
<ul style="list-style-type: none"> Developmental Surveillance ¹² Psychosocial/Behavioral Assessment Alcohol and Drug Use Assessment 													
<ul style="list-style-type: none"> Developmental Screening Autism Screening 						96110			96110		96110		
									96110 U1	96110 U1			
Vision ³	Assessed through observation or through health history/physical.												
<ul style="list-style-type: none"> Visual acuity screen 												99173	99173
Hearing ³													
<ul style="list-style-type: none"> Audio Screen Pure tone-air only 												92551	92551
												92552	92552
Dental ^{6, 13}							• or ★ ⁵		• or ★ ⁵	• or ★ ⁵	• or ★ ⁵	• ⁵	• ⁵
Anemia ^{3, 4}													
<ul style="list-style-type: none"> Hematocrit (spun) Hemoglobin 						85013 ⁷	85013 ¹¹						
						85018 ⁷	85018 ¹¹						
Venous Lead ^{3, 4}						83655	83655 ¹¹	83655 ¹¹	83655 ¹¹	83655	83655 ¹¹	83655 ¹¹	83655 ¹¹
Tuberculin Test ³	If indicated by history and/or symptoms.												
Sickle Cell													
Sexually Transmitted Infections ⁸													
Dyslipidemia ^{3, 4} ,													
Immunizations													
	Administer immunizations according to the ACIP schedule. For children 18 years and younger, these immunization codes are collected for administration purposes to document antigens given. Because the PA Department of Health provides vaccines free of charge to providers through the Vaccines for Children Program (see MA Bulletins 01-00-10, 10-00-03, 11-00-05, 26-00-04), only a vaccine administration fee will be reimbursed.												

**Pennsylvania Early and Periodic Screening, Diagnosis and Treatment (EPSDT) Program
Periodicity Schedule and Coding Matrix
(Effective June 14, 2010)**

Services	5 y	6 y	7 y	8 y	9 y	10 y	11 y	12 y	13 y	14 y	15 y	16 y	17 y	18 y	19 y	20 y
Assessment: ¹	A completed screen requires a code from each service required for that age. Report only one CPT code if multiple CPT codes are listed per service, except for immunizations.															
New Patient	99383	99383	99383	99383	99383	99383	99383	99384	99384	99384	99384	99384	99384	99385	99385	99385
Established Patient	99393	99393	99393	99393	99393	99393	99393	99394	99394	99394	99394	99394	99394	99395	99395	99395
• Developmental Surveillance ¹²	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
• Psychosocial/Behavioral Assessment	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
• Alcohol and Drug Use Assessment								Through risk assessment								
• Developmental Screening	If indicated by risk assessment and/or symptoms.															
• Autism Screening	If indicated by risk assessment and/or symptoms.															
Vision ³																
• Visual acuity screen	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173	99173
Hearing ³																
• Audio Screen	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551	92551
• Pure tone-air only	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552	92552
Dental ^{6,13}	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵	• ⁵
Anemia ^{3,4}	If indicated by risk assessment and/or symptoms. See Recommendations to prevent and control iron deficiency in the United States. <i>MMWR</i> . 1998;47(RR-3):1-36. Beginning at 12 years of age for females, do once after onset of menses and if indicated by history and/or symptoms.															
• Hematocrit (spun)																
• Hemoglobin																
Venous Lead ^{3,4}	83655 ¹¹	83655 ¹¹														
Tuberculin Test ³																
Sickle Cell	If indicated by history and/or symptoms.															
Sexually Transmitted Infections ⁸																
Dyslipidemia ^{3,4}														80061	80061 ¹¹	80061 ¹¹
Immunizations	Administer immunizations according to the ACIP schedule. For children 18 years and younger, these immunization codes are collected for administration purposes to document antigens given. Because the PA Department of Health provides vaccines free of charge to providers through the Vaccines for Children Program (see MA Bulletins 01-00-10, 10-00-03, 11-00-05, 26-00-04), only a vaccine administration fee will be reimbursed.															

¹ Included in the assessment: a comprehensive history and physical examination; counseling/anticipatory guidance/risk factor reduction interventions; age-appropriate nutritional counseling; the calculation of Body Mass Index (BMI); newborn metabolic/hemoglobin screening and follow-up; growth measurements and head circumference; an oral dental exam; blood lead (BL) risk assessment; blood pressure risk assessment; developmental and autism screenings; developmental surveillance; psychosocial/behavioral assessments; alcohol and drug use assessment; and the ordering of appropriate laboratory/diagnostic procedures as recommended by the current AAP guidelines.

² Newborn metabolic and hemoglobinopathy screening should be done according to state law. According to AAP recommendations, Newborn metabolic and hemoglobinopathy screening should take place between newborn and 2 months of age.

³ Use CPT modifier -52 Reduced Services plus CPT code for standard testing method for objective vision/hearing testing, anemia, lead and tuberculin testing not completed.

⁴ Use CPT modifier -90 Reference Outside Lab plus CPT code when laboratory procedures are performed by a party other than the treating or reporting physician.

⁵ ● indicates referral to a dental home, ★ indicates administer oral health risk assessment. Assess need for fluoride supplementation. Determine whether the patient has a dental home. If the patient does not have a dental home, a referral should be made to one.

⁶ Dental Periodicity Schedule: Per the American Academy of Pediatric Dentistry, the first examination is recommended at the time of the eruption of the first tooth and no later than 12 months of age.

Repeat every 6 months or as indicated by the child's risk status/susceptibility to disease. www.aapd.org/media/Policies_Guidelines/G_Periodicity.pdf

⁷ Initial measurement of hemoglobin or hematocrit is recommended between 9 and 12 months of age.

⁸ All sexually active patients should be screened for sexually transmitted infections (STI). All sexually active girls should have screening for cervical dysplasia as part of a pelvic examination beginning within 3 years of onset of sexual activity or age 21 (which ever comes first).

⁹ Procedure code 99460 is to be used for a newborn screen performed in the hospital, but not on the same day as hospital discharge.

¹⁰ Procedure code 99463 is to be used for a newborn screen performed in the hospital on the same day as hospital discharge.

¹¹ Provide at times noted, unless done previously.

¹² Developmental Surveillance is required for all periods, except when developmental screenings are required.

¹³ All referrals to a dental home must be reported using the YD modifier.